

SECURE DCS®

DIGITAL CODE CREDIT CARD IN-ROOM SAFES



New Collection by J.SH



STATE-OF-THE-ART ELECTRONIC IN-ROOM SAFE

J.SH

The new expanded range of J.SH electronic in-room safes that we present in this new catalog, is the result of 30 years of research into Hotel requirements. We have proudly produced more than 1 million electronic safes, now in daily use at thousands of Hotels and Cruise ships around the world, in over 70 countries.

J.SH is fully dedicated to providing its customers with unparalleled service, logistics and flexibility. Our products are of the highest quality, yet cost effective and deliver optimum performance. Through our continuous technical support and long term partnering, we have become well recognized for our reliability, courteous service, strong back-up and have truly achieved an honest reputation in the international business world.

J.SH has manufactured innovative hospitality solutions for over three decades, and today we are the leading manufacturer and developer of unique and high quality electronic in-room safes. Our products boast the most impeccable design, thoughtful construction and elegant style. Our safes are supplied with the most intellectually powerful, yet user friendly security software.

WE HAVE SERVICED THOUSANDS OF HOTELS, CRUISE SHIPS AND HOSPITALS IN OVER

MULTIPLE LOCKING SYSTEMS

MAIN FEATURES FOR ALL MODELS

- Custom made to the highest quality standards
- Simple intuitive operation by 4 to 6 digit pin code or credit card
- Six bold bright red, easy to read led display units
- ADA standard approved unique epoxy keypad
- 400 - event audit trail print - out using JSH Safe Logger Unit including who last operated the safe, and when (FLASH RAM memory)
- Double locking bolts, manufactured from chrome plated solid steel
- Trouble free maintenance, with automatic "battery low" message
- Various customizable programming functions
- Emergency opening and system management controlled by the Safe Logger Unit (SLU), including self print audit up to the last 500 events, including who used the SLU, and when
- Buzzer indication for different functions
- Automatic inside light

WE OFFER YOU TO MAKE YOUR OWN CHOICE WITH 3 DIFFERENT LOCKING SYSTEMS

Series D

The D series is simple for guests to understand and use - there are no complex instructions. The safe is operated by a convenient 4-6 digit pin code, chosen by the user.

Series C

The C series is operated by the guests personal credit card. To lock the safe the user simply closes the door and slides his credit card through the slot (the guests can use up to 2 different, credit cards).

Series DC

The DC series is the most user friendly safe in our range. It offers dual locking systems, Where the user can choose to operate the safe either with his own credit card (up to 2 different cards), or with 4-6 digit pin code of his choice.


SEVENTY COUNTRIES WORLD-WIDE FOR MORE THAN THREE DECADES.

SUPREME™ SERIES

No other safe on the market can even closely match the new J.SH Supreme series, with its impeccable construction and contemporary style.

No other safe on the market can even closely match the new J.SH Supreme series with its powerful security software, and incredibly user friendly operation.

The new Supreme series combines the best of our past models with cutting edge technologies of the present.



FEATURES		801 SMALL	802 LAPTOP	803 SUPER LAPTOP
DIMENSIONS (Height, Width, Depth)	Outside-mm	230 / 420 / 250	230 / 420 / 380	230 / 420 / 500
	Outside-inches	9.06 / 16.25 / 9.84	9.06 / 16.25 / 15	9.06 / 16.25 / 19.7
STEEL THICKNESS	Door Thickness	6 mm / 0.25"	6 mm / 0.25"	6 mm / 0.25"
	Side Wall Thickness	2 mm / 0.079"	2 mm / 0.079"	2 mm / 0.079"
VOLUME		18 L / 0.64 cu ft	28.3 L / 1 cu ft	40 L / 1.4 cu ft
WEIGHT		10.5 kg / 23 lb	13 kg / 29 lb	16 kg / 35 lb
OPENING		Standard Left And Right Door Opening		
PANEL OPERATION	ADA approved keypad	Available in Electronic Series D / DC		
CLOSING		Motorized by 2 bolts Ø 20mm / 5/16 "		
AUTOMATIC INSIDE LIGHT		Yes	Yes	Yes



MODEL 803

FEATURES		801 SMALL	802 LAPTOP	803 SUPER LAPTOP
FASTENING METHODS		Back wall : 2 bolts	Bottom : 1 bolts	
COLOR COMBINATION	Body & Panel	Silver gray RAL 7001		
	Door	Basalt gray RAL 7012		
Suitable to insert laptop personal computer		No	Yes	Yes
400 EVENTS FULL AUDIT TRAIL PRINT OUT	Including date & time	Yes	Yes	Yes

All depth dimensions refer to the box only, without the front panel.

MODELS 105 / 205 / 380

You need the safe that works with your team not only to guarantee security, but also to save you time and let you remain in control.

Your safe has to be easy to install, easy to use, durable, and flexible enough to respond to whatever challenges arise, and of course you don't want to compromise on great style !



MODEL 105



MODEL 380

FEATURES		MODEL 105	MODEL 205	MODEL 380
DIMENSIONS (Height, Width, Depth)	Outside- mm	230 / 420 / 380	275 / 420 / 350	530 / 370 / 380
	Outside-inches	9.06 / 16.25 / 15	10.8 / 16.25 / 13.8	20.9 / 14.6 / 15
STEEL THICKNESS	Door Thickness	4 mm / 0.158"	5 mm / 0.20"	5 mm / 0.20"
	Side Wall Thickness	2 mm / 0.079"	2 mm / 0.079"	2 mm / 0.079"
VOLUME		28.3 L / 1 cu ft	33 L / 1.16 cu ft	60 L / 2.1 cu ft
WEIGHT		13.5 kg / 29 lb	18 kg / 39 lb	26 kg / 56 lb
OPENING		Standard Left and Right Door Opening		
PANEL OPERATION	ADA approved keypad	Available in Electronic Series D / C / DC		
CLOSING		Motorized by 2 bolts Ø 20mm / 5/16 "		



MODEL 205

FEATURES		MODEL 105	MODEL 205	MODEL 380
FASTENING METHODS		Back wall : 3 bolts Bottom : 1 bolts		
COLORS	Body & door	Standard	Ivory / black	
Suitable to insert laptop personal computer		Yes	Yes	Yes
400 EVENTS FULL AUDIT TRAIL PRINT OUT	Including date & time	Yes	Yes	Yes

All depth dimensions refer to the box only, without the front panel.

MODELS TX 500 / TX 501

Our customers choose us for our high standards and deep commitment to them. We strive to exceed our own high standards year after year, and will always provide customized solutions to meet our customers individual needs and demands.



FEATURES		TX 500 LAPTOP	TX 501 SUPER LAPTOP
DIMENSIONS (Height, Width, Depth)	Outside- mm	155 / 483 / 340	155 / 535 / 430
	Outside-Inches	6.1 / 19 / 13.3	6.1 / 21.1 / 16.9
STEEL THICKNESS	Door Thickness	4 mm / 0.158"	4 mm / 0.158"
	Side Wall Thickness	2 mm / 0.079"	2 mm / 0.079"
VOLUME		22 L / 0.8 cu ft	33 L / 1.16 cu ft
WEIGHT		12 kg / 26 lb	13 kg / 29 lb
OPENING		Standard Left And Right Door Opening	
PANEL OPERATION	ADA approved keypad	Available in Electronic Series D / C / DC	
CLOSING		Motorized by 2 bolts Ø 20mm / 5/16 "	



MODEL TX 501

FEATURES		TX 500 LAPTOP	TX 501 SUPER LAPTOP
FASTENING METHODS		Bottom : 2 bolts	
COLORS	Body & door	Standard Ivory / black	
Suitable to insert laptop personal computer		Yes	Yes
400 EVENTS FULL AUDIT TRIAL PRINT OUT	including date & time	Yes	Yes

All depth dimensions refer to the box only, without the front panel.

WALL-SAFE / TOP OPEN SAFE / DRAWER SAFE

Today, more than ever, your guests expect nothing less than the best, in terms of both security and convenience.

Our collection of electronic in-room safes will exceed their expectations.



MODEL D103 / D104
DRAWER SAFE



MODEL W406
WALL-SAFE

FEATURES		W406 - WALL SAFE	T102 - TOP OPEN SAFE	D103 - DRAWER SAFE	D104 - DRAWER SAFE
DIMENSIONS (Height, Width, Depth)	Outside-mm	WALL CUT : 390 / 360 / 150 EXTERNAL SIZE : 490 / 470 / 20	125 / 375 / 330	157 / 420 / 400	200 / 480 / 450
	Outside-inches	WALL CUT : 15.4 / 14.2 / 5.9 EXTERNAL SIZE : 19.3 / 18.5 / 0.8 -	4.9 / 14.8 / 1.3	6.2 / 16.25 / 15.75	7.87 / 18.9 / 17.72
STEEL THICKNESS	Door Thickness	5 mm / 0.20"	4 mm / 0.158"	5 mm / 0.20"	5mm / 0.20"
	Side Wall Thickness	2 mm / 0.079"	2 mm / 0.079"	2 mm / 0.079"	2mm / 0.79"
VOLUME		15 L / 0.52 cu ft	9 L / 0.31 cu ft	12L / 0.40 cuft	21.7L / 0.74 cuft
WEIGHT		17 kg / 37 lb	10 kg / 22 lb	15 kg / 33 lb	20 kg / 44 lb
OPENING		Standard Left And Right Door Opening	Top door opening	Front door opening	Front door opening



TOP OPEN SAFE



FEATURES		W406 - WALL SAFE	T102 - TOP OPEN SAFE	D103 - DRAWER SAFE	D104 - DRAWER SAFE
PANEL OPERATION	ADA approved keypad	Available in Electronic Series D / C / DC	Available in Electronic Series D Flat panel	Available in Electronic Series D Flat panel	Available in Electronic Series D Flat panel
CLOSING		Motorized by 2 bolts Ø 20mm / 5/16"	Motorized by 2 bolts Ø 20mm / 5/16"	Motorized by 1 square bolt	Motorized by 2 bolts Ø 20mm / 5/16"
COLORS Body & door		Standard Ivory / black	Standard Ivory / black	basalt gray RAL 7012	basalt gray RAL 7012
Suitable to insert laptop personal computer		Yes	Yes	Yes	Yes
400 EVENTS FULL AUDIT TRAIL PRINT OUT	Including date & time	Yes	Yes	Yes	Yes
Electrical Charge 110V/220V		No	No	No	Yes

All depth dimensions refer to the box only, without the front panel.

J.SH OVERRIDE AND AUDIT HANDHELD.

The state-of-the-art **Safe Logger Unit (SLU)** has been designed to open the safe in case of emergency and also to perform security management tasks. The SLU is a very easy unit to use and it has an interactive LCD light display with full operational instructions. If there is any suspicion of theft from a safe, the unit can detect and download the last 400 events from the safe, which includes the Hotel name, room number, employee's name and ID, date & time of each event and the date of the print out. This dramatically reduces fraudulent liability claims, saving you both time and money. All downloaded data can be viewed on the SLU screen at all times, and the SLU can be connected directly to a standard or POS printer to obtain a hard copy of the data.

The SLU can be programmed to work on a specific property, thus allowing each hotel to set their own Override codes, in order to open safes in emergency cases. The SLU allows 4 programming security levels in order to control the programming of the users. Different authorized users can then operate the SLU by setting their own codes.

The SLU unit includes a "self" audit memory up to the last 500 events on the SLU itself, including the user ID, time & date, room number and the type of events the user operated with the unit (like open safe, download data, changing programming etc.). This report is immune to power failure or attempts at deletion.

THE SLU UNIT IS AVAILABLE FOR ALL MODELS





We offer you to experience a life time of reliability, security and variety of user-friendly in-room safes.

TECHNICAL DATA:		SERIES C	SERIES D	SERIES DC
POWER SUPPLY	ALKALINE BATTERIES	4 AA X 1.5V	4 AA X 1.5V	4 AA X 1.5V
	MAINS CURRENT 115/230V	OPTIONAL	OPTIONAL	OPTIONAL
LOCKING SYSTEM		MOTORISED	MOTORISED	MOTORISED
LOCKING & ACCESS CODE	UP TO 2 CREDIT CARDS	CARDS CARDS	4-6 DIGIT CODE	4-6 DIGIT CODE OR CREDIT CARDS
LARGE ILLUMINATED LED DISPLAY	6 DIGIT DISPLAY	YES	YES	YES
ACTIVATOR PIN FOR RENTAL OPTION		OPTIONAL	OPTIONAL	OPTIONAL
EMERGENCY OPENING	KEY / MASTER /KEY	OPTIONAL	OPTIONAL	OPTIONAL
	UP TO 6 MASTER CODES	NO	YES	YES
	UP TO 6 MASTER CARDS	YES	NO	YES
	SAFE LOGGER UNIT(SLU)	YES	YES	YES
400 EVENTS FULL AUDIT TRAIL PRINT				
OUT - USING SLU SERVICE UNIT	INCLUDING DATE & TIME	YES	YES	YES
99 EVENTS ON SAFE DISPLAY		NO	YES	YES
ON - LINE COMMUNICATION		OPTIONAL	OPTIONAL	OPTIONAL
AUDITORY BEEP TONE CONFIRMATION		YES	YES	YES
BATTERY BACK UP		YES	YES	YES
AUTOMATIC INSIDE LIGHT		OPTIONAL	OPTIONAL	OPTIONAL
ADA STANDARD APPROVED EPOXY KEYPAD		NO	YES	YES
ANTI-TAMPER FEATURE		YES	YES	YES
SAFETY LOCKOUT OPTION		YES	YES	YES
POWER OUTLET FOR LAPTOP				
RECHARGED		OPTIONAL	OPTIONAL	OPTIONAL
SELF - DIAGNOSTIC TROUBLE SHOOTING ON DISPLAY		YES	YES	YES
SELF PROGRAMMING				
OPERATION FEATURES		YES	YES	YES
RAISED ILLUMINATED KEY BUTTONS		OPTIONAL	OPTIONAL	OPTIONAL

OPTIONAL



Raised illuminated Key buttons



Flat Panel
For series D



Panel
Series C



Pedestal
Different types



IQNet



The contents of this catalog are purely informative and do not constitute a commitment on behalf of the J.SH company, who also reserve the right to modify their models, their characteristics and colors without prior notification.

All right reserved © J.SH security industries D.C.S. LTD. All products, materials, logos in this catalog are copyrighted to J.SH



SUPREME™

MODEL 801

Choose the best for your guest



Make your choice the right choice. Take a few minutes and give us a call.

2 Faran St. North Industrial Zone P.O.B 676 Yavne 81106 Israel Tel: 972-8-9435056, 972-8-9432164, Fax: 972-8-9431921
<http://www.jsh.co.il> E-mail: avi@jsh1.co.il